


## [Networking Hardwares]

[Maninder Kaur]  
 professorsmaninder@gmail.com

## What is Networking Hardware?

Networking hardware includes all computers, peripherals, interface cards and other equipment needed to perform data-processing and communications within the network.



14/10/2010

www.eazynotes.com

2

## Networking Hardware

- Network Interface Card
- Hub
- Repeater
- Bridge
- Switch
- Gateway

14/10/2010

www.eazynotes.com

3

## Network Interface Cards


- Network interface cards, commonly referred to as NICs, are used to connect a PC to a network.
- The NIC provides a physical connection between the networking cable and the computer's internal bus.
- Different computers have different bus architectures; PCI bus master slots are most commonly found on 486/Pentium PCs and ISA expansion slots are commonly found on 386 and older PCs.
- NICs come in three basic varieties: 8-bit, 16-bit, and 32-bit. The larger the number of bits that can be transferred to the NIC, the faster the NIC can transfer data to the network cable.

14/10/2010

www.eazynotes.com

4

## Network Interface Cards



14/10/2010

www.eazynotes.com

5

## Hubs

- A hub joins multiple computers (or other network devices) together to form a single network.
- On this network, all computers can communicate directly with each other.
- The networking hub is a junction box with several ports in the back for receiving the Ethernet cables that are plugged into each computer on the LAN.

14/10/2010

www.eazynotes.com

6

## Types of Hubs


- A **passive hub** serves simply as a passage for the data, enabling it to go from one device to another.
- **Intelligent hub** include additional features that enables an administrator to monitor the traffic passing through the hub and to configure each port in the hub.
- **Switching hub**, actually reads the destination address of each packet and then forwards the packet to the correct port.

14/10/2010

www.eazynotes.com

7

## Hubs



14/10/2010

www.eazynotes.com

8

## Repeater

- Since a signal loses strength as it passes along a cable, it is often necessary to boost the signal with a device called a repeater.
- A repeater is an electronic device that receives a signal, cleans it of unnecessary noise, regenerates it, and retransmits it at a higher power level so that the signal can cover longer distances without degradation.
- A good example of the use of repeaters would be in a local area network using a star topology with unshielded twisted-pair cabling.

14/10/2010

www.eazynotes.com

9

## Repeaters



14/10/2010

www.eazynotes.com

10

## Switch


- A network switch is a small hardware device that joins multiple computers together within one local area network (LAN).
- Network switches appear nearly identical to network hubs, but a switch generally contains more intelligence than a hub.
- Unlike hubs, network switches are capable of inspecting data packets as they are received, determining the source and destination device of each packet, and forwarding them appropriately.
- Allow several users to send information over a network at the same time without slowing each other down.

14/10/2010

www.eazynotes.com

11

## Switch



14/10/2010

www.eazynotes.com

12

## Router

- A device to interconnect SIMILAR networks, e.g. similar protocols and workstations and servers.
- A **router** is an electronic device that interconnects two or more computer networks, and selectively interchanges packets of data between them.
- Each data packet contains address information that a router can use to **determine** if the source and destination are on the same network, or if the data packet must be transferred from one network to another.

14/10/2010

www.eazynotes.com

13

## Router



14/10/2010

www.eazynotes.com

14

## Bridge

- A bridge is a device that connects a local area network (LAN) to another local area network that uses the same protocol (for example, Ethernet or token ring).
- The function of a bridge is to connect separate networks together. Bridges connect different networks types (such as Ethernet and Fast Ethernet) or networks of the same type.
- Bridges map the Ethernet addresses of the nodes residing on each network segment and allow only necessary traffic to pass through the bridge. When a packet is received by the bridge, the bridge determines the destination and source segments.

14/10/2010

www.eazynotes.com

15

## Types of Bridges


- Bridges come in three basic types:
- **Local bridges:** Directly connect local area networks (LANs)
- **Remote bridges:** Can be used to create a wide area network (WAN) link between LANs. Remote bridges have been replaced with routers.
- **Wireless bridges:** Can be used to join LANs or connect remote stations to LANs.

14/10/2010

www.eazynotes.com

16

## Bridges



14/10/2010

www.eazynotes.com

17

## Gateway

- Gateways are used to interconnect two different networks having different protocols.
- Networks using different protocols use different addressing formats.
- A gateway is a network point that acts as an entrance to another network.
- Gateways are also called **protocol converters**.

14/10/2010

www.eazynotes.com

18

