

PROCESSES

24/01/2011

Gursharan Singh Tatla
professorgstatla@gmail.com

Process

- A process is a set of sequential steps that are required to do a particular task.
- A process is an instance of a program in execution.
- For e.g.: in Windows, if we edit two text files, simultaneously, in notepad, then it means we are implementing two different instances of the same program.
- For an operating system, these two instances are separate processes of the same application.

Process

- A process needs certain resources such as:
 - ▣ CPU Time
 - ▣ Memory Files
 - ▣ I/O Devices

to accomplish its task.

- These resources are allocated to the process either when it is created or while it is executing.


Process States

- A process goes through a series of process states for performing its task.
- As a process executes, it changes state.
- Various events can cause a process to change state.

Process States

5

- The various states of a process are:



Process States

- **New:**
 - ▣ A process that has just been created.

- **Ready:**
 - ▣ The process is ready to be executed.

- **Running:**
 - ▣ The process whose instructions are being executed is called running process.

Process States

7

- **Waiting:**
 - ▣ The process is waiting for some event to occur such as completion of I/O operation.

- **Terminated:**
 - ▣ The process has finished its execution.

- **Note:** Only one process can be *running* on any processor at any instant. However, there can be many processes in *ready* and *waiting* states.

Process Control Block (PCB)

8

- Process Control Block (PCB) is a data structure used by operating system to store all the information about a process.
- It is also known as Process Descriptor.
- When a process is created, the operating system creates a corresponding PCB.

Process Control Block (PCB)

- Information in a PCB is updated during the transition of process states.
- When a process terminates, its PCB is released.
- Each process has a single PCB.

Process Control Block (PCB)

10

- The PCB of a process contains the following information:



Process Control Block (PCB)

11

- **Process Number:** Each process is allocated a unique number for the purpose of identification.
- **Process State:** It specifies the current state of a process.
- **Program Counter:** It indicates the address of next instruction to be executed.

Process Control Block (PCB)

12

- **Registers:** These hold the data or result of calculations. The content of these registers is saved so that a process can be resumed correctly later on.
- **Memory Limits:** It stores the amount of memory units allocated to a process.
- **List of Open Files:** It stores the list of open files and their access rights.

Process Scheduling

13

- In multiprogramming, several processes are kept in main memory so that when one process is busy in I/O operation, other processes are available to CPU.
- In this way, CPU is busy in executing processes at all times.
- This method of selecting a process to be allocated to CPU is called Process Scheduling.

Process Scheduling

14

- Process scheduling consists of the following sub-functions:
 - **Scheduling:** Selecting the process to be executed next on CPU is called scheduling.
 - In this function a process is taken out from a pool of ready processes and is assigned to CPU.
 - This task is done by a component of operating system called **Scheduler**.

Process Scheduling

15

- **Dispatching:** Setting up the execution of the selected process on the CPU is called dispatching.
 - It is done by a component of operating system called **Dispatcher**.
 - Thus, a dispatcher is a program responsible for assigning the CPU to the process, that has been selected by the Scheduler.
- **Context Save:** Saving the status of a running process when its execution is to be suspended is known as context save.

Scheduling Queues

16

- In multiprogramming, several processes are there in ready or waiting state.
- These processes form a queue.
- The various queues maintained by operating system are:
 - ▣ Job Queue
 - ▣ Ready Queue
 - ▣ Device Queue

Scheduling Queues

17

□ **Job Queue:**

- As the process enter the system, it is put into a job queue. This queue consists of all processes in the system.

□ **Ready Queue:**

- It is a doubly linked list of processes that are residing in the main memory and are ready to run.

Scheduling Queues


18

- **Device Queue:**
 - It contains all those processes that are waiting for a particular I/O device.
 - Each device has its own device queue.

- Diagram on the next slide shows the queues.

Scheduling Queues

19




Context Switch

- Switching the CPU from one process to another process requires saving the state of old process and loading the saved state of new process.
- This task is known as **Context Switch**.
- When context switch occurs, operating system saves the context of old process in its PCB and loads the saved context of the new process.

Context Switch

21



Thank You



Have a Nice Day